



## SAFETY NETS & FALL PROTECTION

### STRONG MAN NETTING.



Privacy Screen (Black/Green)  
6'x150', 8'x150'



Vertical Debris (Orange)  
4' x 150', 5'-6" x 150', 8'-6" x 150'



Polyethylene Knitted Mesh  
(Black) 4'x150', 8'-6" x 150'

### STRONG MAN PERSONNEL SAFETY NETS



### ULTRA-SAFE & FALL-TECH PROTECTION




Harnesses and Lanyards





TRAFFIC DIRECTION



SAFETY FLAGS



SAFETY BARRICADES



BARRICADE TAPE



UNDERGROUND WARNING TAPES



CONE SAFETY GATE



SAFETY CONES



SAFETY DRUMS








EMERGENCY LIGHTS



**ADA SOLUTIONS TILES**

All of our truncated dome tactile surfaces are in full compliance with the American Disabilities Act Accessibility Guidelines (ADAAG), Public Right-of-Way (PROW) and California Title 24 Requirements. ADA Solutions Inc., products are approved for use by all major municipalities, DPWs and state DOTs.



**TRANSPO® INDUSTRIES, INC.**

Step-Safe® is a pre-cast polymer concrete tile that is designed to alert visually impaired pedestrians of impending hazards in pedestrian travel routes in public buildings and/or public rights-of-way. Step-Safe® complies with the minimum requirements as established by the Access Board and those of the US Department of Justice and the US Department of Transportation as defined in the American with Disabilities Act.

**ADA Compliant and Reliable**



**Step-Safe® Detectable Tiles**

### **HARD HATS**

Made of high density polyethylene, and molded with features to meet functional and safety specifications. They provide excellent impact, penetration, chemical, and voltage resistance. Internal suspension adjusts and locks for head sizes from 6½ to 8. In several colors, with or without sweat band, chin strap, winter liner, etc. Weighs less than 12 ounces.

### **RAINWEAR**

Foul weather suits and coats in ultra flexible, light-weight PVC-Nylon, or in heavy duty 2-ply laminated PVC. Three piece suits include snap-on hood with drawstring, jacket with storm fly front, and single bib overall with fly front and elasticized suspenders. All are reinforced at stress points, ventilated, and have snap take-ups at arm and leg cuffs, and waist. Sizes medium, large, and extra large, in yellow or orange.

### **BOOTS**

Two types. Over-the-foot Safety Boot with steel toe and shank insert, and steel arch support. 15 inches high, barred sole and heel, sizes 5 to 13, in black. Over-the-shoe boot has soft toe, 17 inches high, has large top opening for easy on and off, and rubber gusset at the knee for tightening after boot is on. Sizes 7 to 14, in yellow.

### **CONSTRUCTION FIRST AID KIT**

Twenty-five person size has complete assortment of treatment aids for on-the-job first aid of common injuries. Refillable. Has handy hanger for slip attachment to field office wall.

### **CONTRACTOR TOOLS**

**Shovels**—Long handle with plain end, or short handle with steel reinforced D end, round point for digging, or square end for general purpose use. All have closed back to minimize accumulation of soil, or concrete build-up, and a rolled step. Extra long socket gives added strength to durable ash handle. Blade approximately 9 by 12 inches.

**Sledges**—Double face hammers, 3 to 16 pounds with 36 inch handles. Also 3 pound hammers with double face or cross peen, short handles.

**Tampers**—8 x 8 inches, 12 pounds; or 12 x 12 inches, 18 pounds. Both have 60 inch handles.

### **RAKES AND LUTES**

**Bow Rake**—16 x 3¼ inches, 60 inch handle.

**Aluminum Asphalt Lute Rake**—36 x 4 inches, one serrated edge, one plain edge. 82 inch handle.

**Asphalt Tar Rake**—17 x 4½ inch head, 18 inch steel shank. 60 inch handle.

**Mortar Hoes**—10 x 6 inch perforated blade, 8 inch ferrule, 66 inch handle.

